

PROTECH CLASS-8 CAB RACKS

ProTech sets the standard for cab racks with continual-seam weldments that virtually eliminate moisture trapping, cracking and fatigue.



Tubes are mitered and joined with TIG welds that are hand-cleaned and polished



- 6061 AL bars in window
- Weld residue is removed and welds polished
- Two 14-position locking chain hangers
- Locking center-mount toolbox
- Two chain trays
- Extruded I-beam uprights and legs form the support structure



HEPT-TUBE CONSTRUCTION

Aluminum hept-tube construction, with no bends, delivers high strength, significant weight savings and rugged durability.

SHOWN: 10-1003-592

STANDARD CAB RACK WITH INSTALLED OPTIONS

The standard unit is 65" H x 70"W and includes a window (10-5000), two locking chain hangers (10-5903), two chain trays (10-3800), and a locking center mount toolbox (20-2401). The units can be customized to fit any need.

Structural panels are 5052 marine grade aluminum and are resistant to corrosion especially salt-water atmosphere

Robust, durable continuous welds join the structural rib aluminum panel to ProTech® hept-tubes



PRODUCT NUMBER
**SHOWN: 10-1083
and 10-5030**

DESCRIPTION
Standard, ribbed diamond plate panel cab rack with the high-mount, 86" fullwidth bar-style window



PRODUCT NUMBER
SHOWN: 10-1003-5000

DESCRIPTION
Diamond plate cab rack, 70"W x 65"H with highmount 27"W x 18"H bar— style window (10-5000)



PRODUCT NUMBER
SHOWN: 10-1074

DESCRIPTION
Class-8 space saver, 70"W x 64"H standard diamond plate cab rack for 34.5" frame width; angle mounting, with isolation spacers included. Shown with two locking chain hangers (10-5903) and cab rack chain tray with center recessed panel (10-3315) options



PRODUCT NUMBER
SHOWN: 10-4210 on 10-1003

DESCRIPTION
Overload wood sign on air-actuated sign bracket; installed on the 10-1003 standard cab rack

STANDARD RACKS

Available heights: 65" or 68". Available widths: 70", 80", 86" and 90"

STANDARD CAB RACK WITH WINDOW

Window can be ordered in any cab rack. Specific heights require measuring from top of truck frame to window centerline.

DELUXE CAB RACK

Comes standard with two chain hangers and a full chain tray (Model DX-3) or two chain trays (Model DX-4). These units can also be equipped with optional stop/turn/tail lights.

COMBINATIONS ABOUND

Cab racks can be configured with window assemblies in two positions, various styles and two widths. Chain hangers and trays can be ordered installed or loose, as well as lights, light brackets, load bars and other accessories.

Check the ProTech product price book for the complete list of standard items offered. When placing your order, simply take the base cab rack and then add the option part number and indicate "installed."



Position mounting bracket over gusset



Up-right mounting bracket

Mounting bolts

J-hook forward I-beam position only

MOUNTING KITS

Designed specifically for mounting ProTech cab racks and enclosures, the mounting kit (10-9401) includes 19" bolts and other hardware; use the J-hook mounting kit (10-9407) for limited space installations.

NOTE: The correct ProTech mounting kit must be used and the mounting instructions must be followed to meet the cab rack load rating.



PROTECH CAB RACK

With chain hangers, chain trays and center-mount toolbox

CLASS 8 TRUCKS

| STANDARD CAB RACKS | | W" | D" | H" | Lbs |
|--------------------|---|----|------|----|-----|
| 10-1003 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL | 70 | 29.5 | 65 | 119 |
| 10-1003S | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; POLISHED ALUMINUM PANEL | 70 | 29.5 | 65 | 119 |
| 10-1003-5000 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH HIGH-MOUNT 27"Wx18"H BAR STYLE WINDOW 5000 | 70 | 29.5 | 65 | 124 |
| 10-1003-592 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH HIGH-MOUNT 27"Wx18"H BAR -STYLE WINDOW 5000; SLOPE-TOP TOOLBOX 2401; 2 CHAIN HANGERS 5903; 2 CHAIN TRAYS 3800 | 70 | 29.5 | 65 | 191 |
| 10-1003-DX3 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH 2 CHAIN HANGERS 5903; FULL WIDTH TRAY 3601 | 70 | 29.5 | 65 | 148 |
| 10-1003-DX3W | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH HIGH MOUNT 27"Wx18"H BAR -STYLE WINDOW; 2 CHAIN HANGERS 5903; FULL WIDTH TRAY 3601 | 70 | 29.5 | 65 | 153 |
| 10-1003-DX4 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH 2 CHAIN HANGERS 5903; 2 CHAIN TRAYS 3800 | 70 | 29.5 | 65 | 185 |
| 10-1003-DX4W | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH HIGH MOUNT 27"Wx18"H BAR -STYLE WINDOW; 2 CHAIN HANGERS 5903; 2 CHAIN TRAYS 3800 | 70 | 29.5 | 65 | 190 |
| 10-1033 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL | 70 | 29.5 | 68 | 124 |
| 10-1033S | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; POLISHED ALUMINUM PANEL | 70 | 29.5 | 68 | 124 |
| 10-1033-5000 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH HIGH-MOUNT 27"Wx18"H BAR STYLE WINDOW 5000 | 70 | 29.5 | 68 | 129 |
| 10-1033-5005 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH HIGH-MOUNT 27"Wx18"H BAR STYLE WINDOW 5005 CENTER LINE 51" ABOVE TOP OF FRAME | 70 | 29.5 | 68 | 129 |
| 10-1033-592 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH HIGH-MOUNT 27"Wx18"H BAR -STYLE WINDOW 5000; SLOPE-TOP TOOLBOX 2401; 2 CHAIN HANGERS 5903; 2 CHAIN TRAYS 3800 | 70 | 29.5 | 68 | 201 |
| 10-1033-DX3 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH 2 CHAIN HANGERS 5903; FULL WIDTH TRAY 3601 | 70 | 29.5 | 68 | 185 |
| 10-1033-DX3W | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH HIGH MOUNT 27"Wx18"H BAR -STYLE WINDOW; 2 CHAIN HANGERS 5903; FULL WIDTH TRAY 3601 | 70 | 29.5 | 68 | 190 |
| 10-1033-DX4 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH 2 CHAIN HANGERS 5903; 2 CHAIN TRAYS 3800 | 70 | 29.5 | 68 | 185 |
| 10-1033-DX4W | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH HIGH MOUNT 27"Wx18"H BAR -STYLE WINDOW; 2 CHAIN HANGERS 5903; 2 CHAIN TRAYS 3800 | 70 | 29.5 | 68 | 190 |
| 10-1083 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL | 80 | 29.5 | 68 | 131 |
| 10-1083-DX3 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH 2 CHAIN HANGERS 5903; FULL WIDTH TRAY 3601 | 80 | 29.5 | 68 | 185 |
| 10-1083-DX3W | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH HIGH MOUNT 27"Wx18"H BAR -STYLE WINDOW; 2 CHAIN HANGERS 5903; FULL WIDTH TRAY 3601 | 80 | 29.5 | 68 | 190 |
| 10-1083-DX4 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH 2 CHAIN HANGERS 5903; 2 CHAIN TRAYS 3800 | 80 | 29.5 | 68 | 185 |
| 10-1083-DX4W | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH HIGH MOUNT 27"Wx18"H BAR -STYLE WINDOW; 2 CHAIN HANGERS 5903; 2 CHAIN TRAYS 3800 | 80 | 29.5 | 68 | 190 |
| 10-1093 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL | 86 | 29.5 | 68 | 145 |
| 10-1093S | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; POLISHED ALUMINUM PANEL | 86 | 29.5 | 68 | 145 |

| CLASS 8 TRUCKS | | | | | |
|-------------------------------------|---|-----------|-----------|-----------|------------|
| STANDARD CAB RACKS—CONTINUED | | W" | D" | H" | Lbs |
| 10-1093-DX3 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH 2 CHAIN HANGERS 5903; FULL WIDTH TRAY 3601 | 86 | 29.5 | 68 | 185 |
| 10-1093-DX3W | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH HIGH MOUNT 27"WX18"H BAR -STYLE WINDOW; 2 CHAIN HANGERS 5903; FULL WIDTH TRAY 3601 | 86 | 29.5 | 68 | 190 |
| 10-1093-DX4 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH 2 CHAIN HANGERS 5903; 2 CHAIN TRAYS 3800 | 86 | 29.5 | 68 | 185 |
| 10-1093-DX4W | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL WITH HIGH MOUNT 27"WX18"H BAR -STYLE WINDOW; 2 CHAIN HANGERS 5903; 2 CHAIN TRAYS 3800 | 86 | 29.5 | 68 | 190 |
| 10-1103 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL | 90 | 29.5 | 68 | 150 |
| 10-1203 | STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL | 86 | 29.5 | 80 | 150 |
| CAB RACK—SPACE SAVER | | | | | |
| 10-1072 | SPACE SAVER STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL; FOR 34.5" FRAME WIDTH; ANGLE MOUNTING; ISOLATION SPACERS INCLUDED | 70 | 18 | 68 | 147 |
| 10-1074 | SPACE SAVER STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL; FOR 34.5" FRAME WIDTH; ANGLE MOUNTING; ISOLATION SPACERS INCLUDED | 70 | 18 | 65 | 145 |
| 10-1084 | SPACE SAVER STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL; FOR 34.5" FRAME WIDTH; ANGLE MOUNTING; ISOLATION SPACERS INCLUDED | 80 | 18 | 68 | 150 |
| 10-1094 | SPACE SAVER STANDARD C-8 CAB RACK; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL; FOR 34.5" FRAME WIDTH; ANGLE MOUNTING; ISOLATION SPACERS INCLUDED | 86 | 18 | 68 | 152 |
| CENTER CABINET | | | | | |
| 10-1013 | CAB RACK CENTER CABINET; 8.5"D WITH DIAMOND PLATE DOOR AND STAINLESS STEEL LOCKING T-LATCHES; TOP SHELF (2515) AND CHAIN HANGER (5903NL) INSTALLED; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL | 70 | 29.5 | 65 | 180 |
| 10-1074-CE | CAB RACK CENTER CABINET; 8.5"D WITH DIAMOND PLATE DOOR AND STAINLESS STEEL LOCKING T-LATCHES; TOP SHELF (2515) AND CHAIN HANGER (5903NL) INSTALLED; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL; ANGLE MOUNTING; ISOLATION SPACERS INCLUDED | 70 | 18 | 65 | 180 |
| 10-1094-CE | CAB RACK CENTER CABINET; 8.5"D WITH DIAMOND PLATE DOOR AND STAINLESS STEEL LOCKING T-LATCHES; TOP SHELF (2515) AND CHAIN HANGER (5903NL) INSTALLED; HEPT-TUBE FRAME; RIBBED DIAMOND PLATE PANEL; ANGLE MOUNTING; ISOLATION SPACERS INCLUDED | 86 | 18 | 68 | 185 |
| 10-1110 | CAB RACK CENTER CABINET; 8.5"D WITH DIAMOND PLATE DOOR AND STAINLESS STEEL LOCKING T-LATCHES; TOP SHELF (2515) AND CHAIN HANGER (5903NL) INSTALLED; HEPT-TUBE FRAME; RIBBED | 86 | 29.5 | 68 | 180 |