

**PROTECH STORAGE BOXES. SECURE. WEATHER RESISTANT.**

Rugged ProTech storage boxes are offered in aluminum or steel and available in 31 standard sizes in 18" and 24" depths, from 18" to 72" wide. There are also six configurations of 15"H x 15"D boxes in 18", 24" and 30" widths. If that's not what you need, we'll make it. Any size. Any material. Any style.



**KEY POINTS**

- Continuous seam MIG welds on stress panels, such as the box floor
- Full-length stainless steel piano hinges on doors and lids
- Stainless steel locking T-latches, can be keyed alike
- Toolboxes can be ordered with combinations of materials and finishes:

Stainless Steel

Polished Aluminum

Diamond Plate Aluminum

Mill Finished Aluminum

Gloss Black, Gloss White and Matte Textured Black

Powder Coat

- Replacement parts are available

**SHOWN: 20-2460**

**STEP BOX**

Aluminum step box with .105 diamond plate aluminum lid; Grip Strut® steps; neoprene bulb style seals; stainless steel locking T-latches; internal mounting brackets. 24"H x 28"D x 18"W. Available with polished aluminum (20-2460S) or stainless steel lid (20-2460SS) and with wide mouth opening (20-2460W).

**ALUMINUM STEP BOXES**

These complete units provide storage space in a mill finished aluminum body with Grip Strut® steps and diamond plate, polished aluminum or stainless steel doors. Standard dimensions are 24"H x 28"D with 12", 18", 24", 30" and 36" widths. Boxes come complete with internal mounting brackets for 12", 18" or 24" widths. External brackets are required for 30" and 36" wide boxes. Boxes available with top step only, without steps or completely custom.



PRODUCT NUMBER  
**SHOWN: 20-2475**  
DESCRIPTION

Standard, stepless toolbox with mill finished AL body, diamond plate aluminum door, and a stainless steel locking t-latch.

**TOOLBOX FRAME MOUNTING KITS**

Kits are black powder coated steel and installed with the longer leg placed vertically.

**20-9710:** BRACKETS FOR 18" DEEP BOXES

**20-9700:** BRACKETS FOR 20" DEEP BOXES

**20-9720:** BRACKETS FOR 30" DEEP BOXES



**NEW**

PRODUCT NUMBER  
**SHOWN: 20-2450WS**

DESCRIPTION

Standard, wide mouth step box with mill finished AL body, polished aluminum door, Grip Strut® steps and a stainless steel locking t-latch.

ALUMINUM STEP BOXES		W"	D"	H"	Lbs
20-2440	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	10	28	25	39
20-2440S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	10	28	25	39
20-2440SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	10	28	25	40
20-2450	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	12	28	25	41
20-2450S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	12	28	25	41
20-2450SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	12	28	25	42
20-2450W	WIDE MOUTH ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	12	28	25	41
20-2450WS	WIDE MOUTH ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	12	28	25	41
20-2450WSS	WIDE MOUTH ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	12	28	25	42
20-2453	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	12	20	25	30
20-2453S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	12	20	25	30
20-2453SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	12	20	25	32
20-2455	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	12	20	25	28
20-2455S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	12	20	25	28
20-2455SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	12	20	25	30
20-2460	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	18	28	25	50
20-2460S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	18	28	25	50
20-2460SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	18	28	25	52
20-2460W	WIDE MOUTH ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	18	28	25	50
20-2460WS	WIDE MOUTH ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	18	28	25	50
20-2460WSS	WIDE MOUTH ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	18	28	25	52
20-2463	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	18	20	25	39
20-2463S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	18	20	25	39
20-2463SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	18	20	25	41

ALUMINUM STEP BOXES		W"	D"	H"	Lbs
20-2465	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	18	20	25	35
20-2465S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	18	20	25	35
20-2465SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	18	20	25	37
20-2470	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	24	28	25	58
20-2470S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	24	28	25	58
20-2470SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	24	28	25	60
20-2470W	WIDE MOUTH ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	24	28	25	58
20-2470WS	WIDE MOUTH ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	24	28	25	58
20-2470WSS	WIDE MOUTH ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	24	28	25	60
20-2473	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	24	20	25	40
20-2473S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	24	20	25	40
20-2473SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	24	20	25	42
20-2475	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	24	20	25	38
20-2475S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	24	20	25	38
20-2475SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	24	20	25	39
20-2480	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	30	28	25	61
20-2480S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	30	28	25	61
20-2480SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	30	28	25	64
20-2480W	WIDE MOUTH ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	30	28	25	61
20-2480WS	WIDE MOUTH ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	30	28	25	61
20-2480WSS	WIDE MOUTH ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	30	28	25	64
20-2483	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	30	20	25	52
20-2483S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	30	20	25	52
20-2483SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	30	20	25	55

ALUMINUM STEP BOXES		W"	D"	H"	Lbs
20-2485	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	30	20	25	45
20-2485S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	30	20	25	45
20-2485SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	30	20	25	47
20-2490	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	36	28	25	70
20-2490S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	36	28	25	70
20-2490SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	36	28	25	75
20-2490W	WIDE MOUTH ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	36	28	25	70
20-2490WS	WIDE MOUTH ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	36	28	25	70
20-2490WSS	WIDE MOUTH ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	36	28	25	75
20-2493	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; GRIP STRUT® TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	36	20	25	53
20-2493S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; GRIP STRUT® TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	36	20	25	53
20-2493SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; GRIP STRUT® TOP STEP ONLY; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	36	20	25	55
20-2495	ALUMINUM STEP BOX; DIAMOND PLATE ALUMINUM LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	36	20	25	50
20-2495S	ALUMINUM STEP BOX; POLISHED ALUMINUM LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	36	20	25	50
20-2495SS	ALUMINUM STEP BOX; STAINLESS STEEL LID; NO STEPS; NEOPRENE BULB SEALS; STAINLESS STEEL LOCKING T-LATCH; INTERNAL MOUNTING BRACKETS	36	20	25	53

